PAVEEZZI
COMPOSITES

FENCE SYSTEM



PAVEEZZI
COMPOSITES

COMPOSITE FENCING

On the right are the gallery of Paveezzi Composites fence system.









PAVEEZZI COMPOSITES

Components system

Two heights of Paveezzi Composites systems



PAVEEZZI COMPOSITES




Components system

NO.	DIMENSION	QTY
1	36*23*1712 mm	1
2	95*95*24 mm	2
3	21*4*1900 mm	2
4	90*90*1900 mm	2
5	130*130*300 mm	2
6	50*20*1750 mm	1
7	161.5*20*1745 mm	12

PAVEEZZI
COMPOSITES

POST KIT ITEMS



* POST 3 WAYS Aluminum

- Size : 90x90 mm
- Weight : 2.5 kg / M
- Color : Black or Grey
- Thickness : 2 mm
- Process : Powder Coating



* Alu. Strip

- Size : 21x4 mm
- Color : Black or Grey
- Thickness : 2 mm
- Process : Powder Coating



* Steel Holder

- Size : 130X130X300/600 mm
- Weight : 3.5 kg
- Color : Black
- Materials : Galvanized steel with painting
- Steel Base thickness : 10 mm
- Steel Tube thickness : 2.5 mm

PAVEEZZI
COMPOSITES

POST KIT ITEMS



* CAP ABS

- Size : 90X90X24
- Weight : 0.06 kg
- Color : Black



* TOP RAIL Aluminum

- Size : 36x23 mm
- Weight : 0.55 kg / M
- Color : Black or Grey
- Thickness : 1.8 mm
- Process : Powder Coating



* BOTTOM RAIL Aluminum

- Size : 50x20 mm
- Weight : 0.74 kg / M
- Color : Black or Grey
- Thickness : 1.8 mm
- Process : Powder Coating



* FENCING BOARD WPC

- Size : 161.5x20x1745 mm
- Weight : 4.01 kg
- Color : Black and Chocolate
- Thickness : 20 mm
- Process : one side smooth,
  the other
  side wood grain

PAVEEZZI COMPOSITES

FIXING METHODS

Two ways to fix



1. Fixing with fixing post support

* Easy installation





2. Fixing with concrete footing


*High requirement for anti-wind


INSTRUCTION




















INSTRUCTION






















COLOURS TO CHOOSE

PAVEEZZI COMPOSITES





SEVEN STYLES

TRELLIS OPTIONS

PAVEEZZI COMPOSITES













PAVEEZZI
COMPOSITES

Australia Head office

164 Hoddle Street
Abbotsford 3067

W: paveezzi.com.au
E: info@paveezzi.com.au
P: 1300PAVEZI
M: 044973155

New Zealand Head Office

PAVEEZZI (NZ) Limited
PO Box 99551, Newmarket
1149 Auckland

622A Mt Albert Road,
Auckland 1023
New Zealand

W: paveezzi.co.nz
E: sales@paveezzi.co.nz
P: 0800 728 339